

# **Pressure Regulating Valves**

**Price List Effective February 15, 1999**



- **Pressure Reducing Valves**
- **Pressure Retaining Valves**
- **Pressure Relief Valves**

**GEORGE FISCHER +GF+**



# Table of Contents

---



## Pressure Reducing Valve, Type V82 (Pressure Regulators)

PVC .....	4
Polypropylene .....	5
PVDF .....	6
PVDF HP .....	7

---



## Pressure Reducing Valve, Type V782 (Pressure Regulators)

PVC .....	8
Polypropylene .....	9
PVDF .....	10
PVDF HP .....	10

---



## Pressure Relief Valve, Type V85

PVC .....	11
Polypropylene .....	13
PVDF .....	15
PVDF HP .....	16

---



## Pressure Retaining Valve, Type V86 (Back Pressure Valve)

PVC .....	17
Polypropylene .....	19
PVDF .....	21
PVDF HP .....	23

---



## Pressure Retaining Valve, Type V786 (Back Pressure Valve)

PVC .....	24
Polypropylene .....	25
PVDF .....	26
PVDF HP .....	27

---

Terms and Conditions of Sale/Warranty .....	28
---	----



## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID	Threaded				Flanged			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(045)	297.-	(052)	326.-	(300)	*	(307)	*
1/2	(046)	314.-	(053)	345.-	(301)	334.-	(308)	365.-
3/4	(047)	490.-	(054)	570.-	(302)	543.-	(309)	593.-
1	(048)	596.-	(055)	653.-	(303)	628.-	(310)	685.-
1 1/4	(049)	643.-	(056)	708.-	(304)	693.-	(311)	757.-
1 1/2	(050)	688.-	(057)	755.-	(305)	752.-	(312)	818.-
2	(051)	801.-	(058)	881.-	(306)	895.-	(313)	974.-

\*Inquire

## 90 psi/6 bar

2 1/2	(724)	N/A	(726)	N/A	(073)	1222.-	(076)	1335.-
3	(725)	N/A	(727)	N/A	(074)	2114.-	(077)	2311.-

## 60 psi/4 bar

4		N/A		N/A	(075)	4278.-	(078)	4685.-
---	--	-----	--	-----	-------	--------	-------	--------

## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID	Spigot				Socket Union			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(543)	297.-	(553)	326.-	(794)	313.-	(802)	342.-
1/2	(544)	314.-	(554)	345.-	(795)	330.-	(803)	359.-
3/4	(545)	519.-	(555)	570.-	(796)	538.-	(804)	589.-
1	(546)	596.-	(556)	653.-	(797)	619.-	(805)	676.-
1 1/4	(547)	643.-	(557)	708.-	(798)	678.-	(806)	742.-
1 1/2	(548)	688.-	(558)	755.-	(799)	723.-	(807)	790.-
2	(549)	801.-	(559)	831.-	(800)	845.-	(808)	923.-

## 90 psi/6 bar

2 1/2	(550)	1118.-	(560)	1230.-	(801)	1195.-	(809)	1306.-
3	(551)	1971.-	(561)	2168.-		N/A		N/A

## 60 psi/4 bar

4	(552)	4060.-	(562)	4466.-		N/A		N/A
---	-------	--------	-------	--------	--	-----	--	-----

## Type V82



# Polypropylene Pressure Reducing Valve (C)

## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID	Threaded				Flanged			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(059)	<b>372.-</b>	(066)	<b>413.-</b>	(314)	*	(321)	*
1/2	(060)	<b>418.-</b>	(067)	<b>463.-</b>	(315)	<b>446.-</b>	(322)	<b>492.-</b>
3/4	(061)	<b>666.-</b>	(068)	<b>739.-</b>	(316)	<b>697.-</b>	(323)	<b>772.-</b>
1	(062)	<b>770.-</b>	(069)	<b>854.-</b>	(317)	<b>813.-</b>	(324)	<b>899.-</b>
1 1/4	(063)	<b>861.-</b>	(070)	<b>956.-</b>	(318)	<b>961.-</b>	(325)	<b>1057.-</b>
1 1/2	(064)	<b>886.-</b>	(071)	<b>985.-</b>	(319)	<b>1040.-</b>	(326)	<b>1138.-</b>
2	(065)	<b>983.-</b>	(072)	<b>1158.-</b>	(320)	<b>1207.-</b>	(327)	<b>1323.-</b>

## 90 psi/6 bar

2 1/2	(728)	*	<b>N/A</b>	(079)	<b>1860.-</b>	(082)	<b>2047.-</b>
3	(729)	*	<b>N/A</b>	(080)	<b>4340.-</b>	(083)	<b>4800.-</b>

## 60 psi/4 bar

4	<b>N/A</b>	<b>N/A</b>	(081)	<b>5978.-</b>	(084)	<b>6608.-</b>
---	------------	------------	-------	---------------	-------	---------------

\*Inquire



## 150 psi/10 bar

Size	Part Number 708.400 ( )				Part Number 708.401 ( )				
d	ID	Spigot**				Socket Union**			
mm	Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
16	3/8	(257)	<b>372.-</b>	(267)	<b>413.-</b>	(810)	<b>396.-</b>	(817)	<b>438.-</b>
20	1/2	(258)	<b>418.-</b>	(268)	<b>463.-</b>	(811)	<b>443.-</b>	(818)	<b>490.-</b>
25	3/4	(259)	<b>666.-</b>	(269)	<b>739.-</b>	(812)	<b>692.-</b>	(819)	<b>766.-</b>
32	1	(260)	<b>770.-</b>	(270)	<b>854.-</b>	(813)	<b>808.-</b>	(820)	<b>893.-</b>
40	1 1/4	(261)	<b>861.-</b>	(271)	<b>956.-</b>	(814)	<b>900.-</b>	(821)	<b>995.-</b>
50	1 1/2	(262)	<b>886.-</b>	(272)	<b>985.-</b>	(815)	<b>925.-</b>	(822)	<b>966.-</b>
63	2	(263)	<b>1042.-</b>	(273)	<b>1158.-</b>	(816)	<b>1107.-</b>	(823)	<b>1223.-</b>

## 90 psi/6 bar

75	2 1/2	(264)	<b>1678.-</b>	(274)	<b>1865.-</b>	<b>N/A</b>	<b>N/A</b>
90	3	(265)	<b>4140.-</b>	(275)	<b>4600.-</b>	<b>N/A</b>	<b>N/A</b>

## 60 psi/4 bar

110	4	(266)	<b>5672.-</b>	(276)	<b>6302.-</b>	<b>N/A</b>	<b>N/A</b>
-----	---	-------	---------------	-------	---------------	------------	------------

\*\*Requires George Fischer fusion equipment

## Type V82

# PVDF Pressure Reducing Valve (C)



### 150 psi/10 bar

Size	Part Number 708.401 ( )			
ID Inch	Threaded		Flanged	
	PTFE	\$	PTFE	\$
3/8	(732)	<b>835.-</b>	(328)	*
1/2	(733)	<b>1016.-</b>	(329)	<b>1081.-</b>
3/4	(734)	<b>1618.-</b>	(330)	<b>1698.-</b>
1	(735)	<b>2062.-</b>	(331)	<b>2170.-</b>
1 1/4	(736)	<b>2414.-</b>	(332)	<b>2532.-</b>
1 1/2	(737)	<b>2591.-</b>	(333)	<b>2721.-</b>
2	(738)	<b>3962.-</b>	(334)	<b>4140.-</b>

\*Inquire

### 90 psi/6 bar

2 1/2	N/A	(335)	<b>4775.-</b>
-------	-----	-------	---------------



### 150 psi/10 bar

Size	Part Number 708.400 ( )		Part Number 708.401 ( )		
d mm	ID Inch	Spigot**		Socket Union**	
		PTFE	\$	PTFE	\$
16	3/8	(277)	<b>835.-</b>	(824)	<b>863.-</b>
20	1/2	(278)	<b>1017.-</b>	(825)	<b>1044.-</b>
25	3/4	(279)	<b>1618.-</b>	(826)	<b>1648.-</b>
32	1	(280)	<b>2062.-</b>	(827)	<b>2102.-</b>
40	1 1/4	(281)	<b>2414.-</b>	(828)	<b>2464.-</b>
50	1 1/2	(282)	<b>2592.-</b>	(829)	<b>2642.-</b>
63	2	(283)	<b>3962.-</b>	(830)	<b>4026.-</b>

### 90 psi/6 bar

75	2 1/2	(284)	<b>4512.-</b>	N/A
----	-------	-------	---------------	-----

\*\*Requires George Fischer fusion equipment

## Type V82



# PVDF HP Pressure Reducing Valve

## 150 psi/10 bar

Size		Part Number 708.401 ( )	
d	ID	BCF/IR**	
mm	Inch	PTFE	\$
16	3/8	(030)	820.-
20	1/2	(031)	860.-
25	3/4	(032)	1260.-
32	1	(033)	1310.-
40	1 1/4	(041)	1430.-
50	1 1/2	(042)	3260.-
63	2	(043)	4960.-

## 90 psi/6 bar

75*	2 1/2*	(044)	5640.-
-----	--------	-------	--------

\*IR only

\*\*Requires George Fischer fusion equipment

Type V782

# PVC Pressure Reducing Valve

(C)



150 psi/10 bar

Size	Part Number 708.401 ( )							
ID	Threaded				Flanged			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(000)	<b>268.-</b>	(006)	<b>296.-</b>	(336)	*	(342)	*
1/2	(001)	<b>286.-</b>	(007)	<b>315.-</b>	(337)	<b>306.-</b>	(343)	<b>335.-</b>
3/4	(002)	<b>467.-</b>	(008)	<b>519.-</b>	(338)	<b>490.-</b>	(344)	<b>542.-</b>
1	(003)	<b>544.-</b>	(009)	<b>604.-</b>	(339)	<b>576.-</b>	(345)	<b>636.-</b>
1 1/4	(004)	<b>591.-</b>	(010)	<b>657.-</b>	(340)	<b>640.-</b>	(346)	<b>706.-</b>
1 1/2	(005)	<b>636.-</b>	(011)	<b>707.-</b>	(341)	<b>700.-</b>	(347)	<b>770.-</b>

\*Inquire

Size	Part Number 708.401 ( )							
ID	Spigot				Socket Union			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(563)	<b>268.-</b>	(569)	<b>296.-</b>	(664)	<b>284.-</b>	(670)	<b>311.-</b>
1/2	(564)	<b>286.-</b>	(570)	<b>315.-</b>	(665)	<b>301.-</b>	(671)	<b>330.-</b>
3/4	(565)	<b>467.-</b>	(571)	<b>519.-</b>	(666)	<b>487.-</b>	(672)	<b>537.-</b>
1	(566)	<b>544.-</b>	(572)	<b>604.-</b>	(667)	<b>567.-</b>	(673)	<b>628.-</b>
1 1/4	(567)	<b>591.-</b>	(573)	<b>657.-</b>	(668)	<b>625.-</b>	(674)	<b>691.-</b>
1 1/2	(568)	<b>636.-</b>	(574)	<b>707.-</b>	(669)	<b>671.-</b>	(675)	<b>741.-</b>

## Type V782



# Polypropylene Pressure Reducing Valve (C)

150 psi/10 bar

Size	Part Number 708.401 ( )							
ID Inch	Threaded				Flanged			
	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(012)	<b>343.-</b>	(018)	<b>378.-</b>	(348)	*	(354)	*
1/2	(013)	<b>389.-</b>	(019)	<b>429.-</b>	(349)	<b>419.-</b>	(355)	<b>459.-</b>
3/4	(014)	<b>614.-</b>	(020)	<b>682.-</b>	(350)	<b>646.-</b>	(356)	<b>713.-</b>
1	(015)	<b>718.-</b>	(021)	<b>797.-</b>	(351)	<b>761.-</b>	(357)	<b>841.-</b>
1 1/4	(016)	<b>812.-</b>	(022)	<b>902.-</b>	(352)	<b>913.-</b>	(358)	<b>1003.-</b>
1 1/2	(017)	<b>834.-</b>	(023)	<b>926.-</b>	(353)	<b>988.-</b>	(359)	<b>1080.-</b>

\*Inquire



150 psi/10 bar

Size		Part Number 708.400 ( )				Part Number 708.401 ( )			
d mm	ID Inch	Spigot**				Socket Union**			
		EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
16	3/8	(471)	<b>343.-</b>	(477)	<b>378.-</b>	(676)	<b>368.-</b>	(682)	<b>404.-</b>
20	1/2	(472)	<b>675.-</b>	(478)	<b>429.-</b>	(677)	<b>416.-</b>	(683)	<b>456.-</b>
25	3/4	(473)	<b>614.-</b>	(479)	<b>682.-</b>	(678)	<b>640.-</b>	(684)	<b>709.-</b>
32	1	(474)	<b>718.-</b>	(480)	<b>797.-</b>	(679)	<b>755.-</b>	(685)	<b>835.-</b>
40	1 1/4	(475)	<b>812.-</b>	(481)	<b>902.-</b>	(680)	<b>851.-</b>	(686)	<b>941.-</b>
50	1 1/2	(476)	<b>834.-</b>	(482)	<b>926.-</b>	(681)	<b>873.-</b>	(687)	<b>966.-</b>

\*\*Requires George Fischer fusion equipment

Type V782

# PVDF Pressure Reducing Valve (C)

150 psi/10 bar



Size	Part Number 708.401 ( )			
ID Inch	Threaded		Flanged	
	PTFE	\$	PTFE	\$
3/8	(366)	810.-	(360)	*
1/2	(367)	991.-	(361)	1056.-
3/4	(368)	1574.-	(362)	1654.-
1	(369)	2018.-	(363)	2126.-
1 1/4	(370)	2350.-	(364)	2467.-
1 1/2	(371)	2548.-	(365)	2677.-

\*Inquire



150 psi/10 bar

Size		Part Number 708.400 ( )		Part Number 708.401 ( )	
d mm	ID Inch	Spigot**		Socket Union**	
		PTFE	\$	PTFE	\$
16	3/8	(483)	810.-	(688)	*
20	1/2	(484)	991.-	(689)	1018.-
25	3/4	(485)	1574.-	(690)	1605.-
32	1	(486)	2018.-	(691)	2059.-
40	1 1/4	(487)	2350.-	(692)	2400.-
50	1 1/2	(488)	2548.-	(693)	2598.-

\*Inquire

\*\*Requires George Fischer fusion equipment



## PVDF HP

150 psi/10 bar

Size		Part Number 708.401 ( )	
d mm	ID Inch	BCF/IR**	
		PTFE	\$
16	3/8	(024)	890.-
20	1/2	(025)	890.-
25	3/4	(026)	1260.-
32	1	(027)	1260.-
40	1 1/4	(028)	2320.-
50	1 1/2	(029)	2390.-

\*\*Requires George Fischer fusion equipment

# Type V85

# PVC Pressure Relief Valve

(C)



## 60 psi/4 bar

Size	Part Number 708.401 ( )							
ID	Threaded				Flanged			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(206)	<b>137.-</b>	(223)	<b>142.-</b>	(372)	*	(386)	*
1/2	(208)	<b>149.-</b>	(225)	<b>156.-</b>	(374)	<b>170.-</b>	(388)	<b>176.-</b>
3/4	(210)	<b>178.-</b>	(227)	<b>187.-</b>	(376)	<b>201.-</b>	(390)	<b>209.-</b>
1	(212)	<b>219.-</b>	(229)	<b>231.-</b>	(378)	<b>252.-</b>	(392)	<b>264.-</b>
1 1/4	(214)	<b>263.-</b>	(231)	<b>285.-</b>	(380)	<b>312.-</b>	(394)	<b>334.-</b>
1 1/2	(216)	<b>279.-</b>	(233)	<b>297.-</b>	(382)	<b>342.-</b>	(396)	<b>360.-</b>
2	(218)	<b>413.-</b>	(235)	<b>467.-</b>	(384)	<b>531.-</b>	(398)	<b>561.-</b>
2 1/2	<b>N/A</b>		<b>N/A</b>		<b>N/A</b>		<b>N/A</b>	
3	<b>N/A</b>		<b>N/A</b>		<b>N/A</b>		<b>N/A</b>	
4	<b>N/A</b>		<b>N/A</b>		(222)	<b>2201.-</b>	(239)	<b>2151.-</b>

\*Inquire

Size	Part Number 708.401 ( )			
ID	Spigot			
Inch	EPDM	\$	PTFE	\$
3/8	(575)	<b>137.-</b>	(592)	<b>142.-</b>
1/2	(577)	<b>149.-</b>	(594)	<b>156.-</b>
3/4	(579)	<b>178.-</b>	(596)	<b>187.-</b>
1	(581)	<b>219.-</b>	(598)	<b>231.-</b>
1 1/4	(583)	<b>263.-</b>	(600)	<b>285.-</b>
1 1/2	(585)	<b>279.-</b>	(602)	<b>297.-</b>
2	(587)	<b>438.-</b>	(604)	<b>441.-</b>
2 1/2	<b>N/A</b>		<b>N/A</b>	
3	<b>N/A</b>		<b>N/A</b>	
4	(591)	<b>1982.-</b>	(608)	<b>2062.-</b>

# Type V85

# PVC Pressure Relief Valve

(C)



## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID	Threaded				Flanged			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(207)	<b>152.-</b>	(224)	<b>158.-</b>	(373)	*	(387)	*
1/2	(209)	<b>166.-</b>	(226)	<b>173.-</b>	(375)	<b>187.-</b>	(389)	<b>193.-</b>
3/4	(211)	<b>198.-</b>	(228)	<b>207.-</b>	(377)	<b>220.-</b>	(391)	<b>230.-</b>
1	(213)	<b>244.-</b>	(230)	<b>258.-</b>	(379)	<b>277.-</b>	(393)	<b>289.-</b>
1 1/4	(215)	<b>292.-</b>	(232)	<b>317.-</b>	(381)	<b>341.-</b>	(395)	<b>366.-</b>
1 1/2	(217)	<b>310.-</b>	(234)	<b>330.-</b>	(383)	<b>373.-</b>	(397)	<b>393.-</b>
2	(219)	<b>487.-</b>	(236)	<b>519.-</b>	(385)	<b>580.-</b>	(399)	<b>613.-</b>

\*Inquire

## 90 psi/6 bar

2 1/2	N/A	N/A	(220)	<b>946.-</b>	(237)	<b>967.-</b>
3	N/A	N/A	(221)	<b>1521.-</b>	(238)	<b>1586.-</b>

## 150 psi/10 bar

Size	Part Number 708.401 ( )			
ID	Spigot			
Inch	EPDM	\$	PTFE	\$
3/8	(576)	<b>152.-</b>	(593)	<b>158.-</b>
1/2	(578)	<b>166.-</b>	(595)	<b>163.-</b>
3/4	(580)	<b>198.-</b>	(597)	<b>207.-</b>
1	(582)	<b>244.-</b>	(599)	<b>258.-</b>
1 1/4	(584)	<b>292.-</b>	(601)	<b>317.-</b>
1 1/2	(586)	<b>310.-</b>	(603)	<b>330.-</b>
2	(588)	<b>487.-</b>	(605)	<b>519.-</b>

## 90 psi/6 bar

2 1/2	(589)	<b>842.-</b>	(606)	<b>863.-</b>
3	(590)	<b>1379.-</b>	(607)	<b>1444.-</b>
4	N/A	N/A	N/A	N/A

## Type V85



# Polypropylene Pressure Relief Valve (C)

60 psi/4 bar

Size	Part Number 708.401 ( )							
ID Inch	Threaded				Flanged			
	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(240)	<b>166.-</b>	(257)	<b>172.-</b>	(400)	*	(414)	*
1/2	(242)	<b>178.-</b>	(259)	<b>184.-</b>	(402)	<b>207.-</b>	(416)	<b>213.-</b>
3/4	(244)	<b>214.-</b>	(261)	<b>222.-</b>	(404)	<b>246.-</b>	(418)	<b>254.-</b>
1	(246)	<b>267.-</b>	(263)	<b>279.-</b>	(406)	<b>312.-</b>	(420)	<b>323.-</b>
1 1/4	(248)	<b>333.-</b>	(265)	<b>350.-</b>	(408)	<b>434.-</b>	(422)	<b>452.-</b>
1 1/2	(250)	<b>350.-</b>	(267)	<b>368.-</b>	(410)	<b>504.-</b>	(424)	<b>522.-</b>
2	(252)	<b>601.-</b>	(269)	<b>631.-</b>	(412)	<b>766.-</b>	(426)	<b>796.-</b>

\*Inquire



60 psi/4 bar

Size	Part Number 708.400 ( )				
d mm	ID Inch	Spigot**			
		EPDM	\$	PTFE	\$
16	3/8	(319)	<b>166.-</b>	(336)	<b>264.-</b>
20	1/2	(321)	<b>178.-</b>	(338)	<b>331.-</b>
25	3/4	(323)	<b>214.-</b>	(340)	<b>376.-</b>
32	1	(325)	<b>267.-</b>	(342)	<b>394.-</b>
40	1 1/4	(327)	<b>333.-</b>	(344)	<b>469.-</b>
50	1 1/2	(329)	<b>350.-</b>	(346)	<b>518.-</b>
63	2	(331)	<b>601.-</b>	(348)	<b>1324.-</b>

\*\*Requires George Fischer fusion equipment

## Type V85



# Polypropylene Pressure Relief Valve (C)

## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID Inch	Threaded				Flanged			
	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(241)	<b>184.-</b>	(258)	<b>191.-</b>	(401)	*	(415)	*
1/2	(243)	<b>198.-</b>	(260)	<b>205.-</b>	(403)	<b>227.-</b>	(417)	<b>233.-</b>
3/4	(245)	<b>237.-</b>	(262)	<b>247.-</b>	(405)	<b>269.-</b>	(419)	<b>279.-</b>
1	(247)	<b>297.-</b>	(264)	<b>310.-</b>	(407)	<b>341.-</b>	(421)	<b>354.-</b>
1 1/4	(249)	<b>369.-</b>	(266)	<b>367.-</b>	(409)	<b>471.-</b>	(423)	<b>490.-</b>
1 1/2	(251)	<b>389.-</b>	(268)	<b>409.-</b>	(411)	<b>543.-</b>	(425)	<b>563.-</b>
2	(253)	<b>668.-</b>	(270)	<b>701.-</b>	(413)	<b>833.-</b>	(427)	<b>866.-</b>

## 90 psi/6 bar

2 1/2	(744)	*	N/A	(254)	<b>1185.-</b>	(271)	<b>1238.-</b>
3	(745)	*	N/A	(255)	<b>1887.-</b>	(272)	<b>1967.-</b>
4	N/A		N/A	(256)	<b>2710.-</b>	(273)	<b>2807.-</b>

\*Inquire



## 150 psi/10 bar

Size	Part Number 708.400 ( )					
d mm	ID Inch	Spigot**				
		EPDM	\$	PTFE	\$	
16	3/8	(320)	<b>184.-</b>	(337)	<b>191.-</b>	
20	1/2	(322)	<b>198.-</b>	(339)	<b>205.-</b>	
25	3/4	(324)	<b>237.-</b>	(341)	<b>247.-</b>	
32	1	(326)	<b>297.-</b>	(343)	<b>310.-</b>	
40	1 1/4	(328)	<b>369.-</b>	(345)	<b>389.-</b>	
50	1 1/2	(330)	<b>389.-</b>	(347)	<b>409.-</b>	
63	2	(332)	<b>668.-</b>	(349)	<b>701.-</b>	

## 90 psi/6 bar

75	2 1/2	(333)	<b>1003.-</b>	(350)	<b>1056.-</b>
90	3	(334)	<b>1688.-</b>	(351)	<b>1767.-</b>
110	4	(335)	<b>2404.-</b>	(352)	<b>2501.-</b>

\*\*Requires George Fischer fusion equipment

## Type V85

# PVDF Pressure Relief Valve

## 60 psi/4 bar



Size		Part Number		Part Number			
		708.400 ( )		708.401 ( )			
d mm	ID Inch	Spigot**		Threaded		Flanged	
		PTFE	\$	PTFE	\$	PTFE	\$
16	3/8	(353)	<b>538.-</b>	(748)	<b>538.-</b>	(428)	*
20	1/2	(355)	<b>577.-</b>	(750)	<b>577.-</b>	(430)	<b>358.-</b>
25	3/4	(357)	<b>803.-</b>	(752)	<b>803.-</b>	(432)	<b>903.-</b>
32	1	(359)	<b>912.-</b>	(754)	<b>912.-</b>	(434)	<b>1047.-</b>
40	1 1/4	(361)	<b>1399.-</b>	(756)	<b>1399.-</b>	(436)	<b>1546.-</b>
50	1 1/2	(363)	<b>1440.-</b>	(758)	<b>1440.-</b>	(438)	<b>1601.-</b>
63	2	(365)	<b>3134.-</b>	(760)	<b>3134.-</b>	(440)	<b>3357.-</b>

## 90 psi/6 bar

75	2 1/2	N/A	N/A	N/A
----	-------	-----	-----	-----

\*\*Requires George Fischer fusion equipment

## 150 psi/10 bar



Size		Part Number		Part Number			
		708.400 ( )		708.401 ( )			
d mm	ID Inch	Spigot**		Threaded		Flanged	
		PTFE	\$	PTFE	\$	PTFE	\$
16	3/8	(354)	<b>566.-</b>	(749)	<b>566.-</b>	(429)	*
20	1/2	(356)	<b>607.-</b>	(751)	<b>607.-</b>	(431)	<b>688.-</b>
25	3/4	(358)	<b>845.-</b>	(753)	<b>845.-</b>	(432)	<b>903.-</b>
32	1	(360)	<b>960.-</b>	(755)	<b>960.-</b>	(435)	<b>1095.-</b>
40	1 1/4	(362)	<b>1472.-</b>	(757)	<b>1472.-</b>	(437)	<b>1619.-</b>
50	1 1/2	(364)	<b>1516.-</b>	(759)	<b>1516.-</b>	(439)	<b>1677.-</b>
63	2	(366)	<b>3299.-</b>	(761)	<b>3299.-</b>	(441)	<b>3522.-</b>

\*Inquire

## 90 psi/6 bar

75	2 1/2	(367)	<b>3953.-</b>	N/A	(442)	<b>4283.-</b>
----	-------	-------	---------------	-----	-------	---------------

\*\*Requires George Fischer fusion equipment

## Type V85

# PVDF HP Pressure Relief Valve

## 60 psi/4 bar



Size		Part Number 708.401 ( )	
d	ID	BCF/IR**	
mm	Inch	PTFE	\$
16	3/8	(274)	630.-
20	1/2	(276)	690.-
25	3/4	(278)	940.-
32	1	(280)	1060.-
40	1 1/4	(282)	1590.-
50	1 1/2	(284)	1640.-
63	2	(286)	3490.-

## 90 psi/6 bar

d	ID	BCF/IR**
mm	Inch	\$
75*	2 1/2*	N/A

\*IR only

\*\*Requires George Fischer fusion equipment

## 150 psi/10 bar



Size		Part Number 708.401 ( )	
d	ID	BCF/IR**	
mm	Inch	PTFE	\$
16	3/8	(275)	690.-
20	1/2	(277)	690.-
25	3/4	(279)	940.-
32	1	(281)	1060.-
40	1 1/4	(283)	1590.-
50	1 1/2	(285)	1640.-
63	2	(287)	3490.-

## 90 psi/6 bar

d	ID	BCF/IR**
mm	Inch	\$
75*	2 1/2*	(288) 4460.-

\*IR only

\*\*Requires George Fischer fusion equipment

Type V86

# PVC Pressure Retaining Valve

(C)



60 psi/4 bar

Size	Part Number 708.401 ( )							
ID	Threaded				Flanged			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(115)	<b>149.-</b>	(134)	<b>156.-</b>	(443)	*	(457)	*
1/2	(117)	<b>166.-</b>	(136)	<b>172.-</b>	(445)	<b>170.-</b>	(459)	<b>192.-</b>
3/4	(119)	<b>192.-</b>	(138)	<b>200.-</b>	(447)	<b>189.-</b>	(461)	<b>224.-</b>
1	(121)	<b>244.-</b>	(140)	<b>255.-</b>	(449)	<b>225.-</b>	(463)	<b>287.-</b>
1 1/4	(123)	<b>290.-</b>	(142)	<b>308.-</b>	(451)	<b>276.-</b>	(465)	<b>358.-</b>
1 1/2	(125)	<b>297.-</b>	(144)	<b>315.-</b>	(453)	<b>354.-</b>	(467)	<b>378.-</b>
2	(127)	<b>434.-</b>	(146)	<b>457.-</b>	(455)	<b>390.-</b>	(469)	<b>550.-</b>
2 1/2	(763)	*	(767)	*	(129)	<b>537.-</b>	(148)	<b>917.-</b>
3	(765)	*	(769)	*	(131)	<b>863.-</b>	(150)	<b>1430.-</b>
4	N/A		(770)	*	(133)	<b>1445.-</b>	(152)	<b>2190.-</b>

\*Inquire

Size	Part Number 708.401 ( )							
ID	Spigot				Socket Union			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(609)	<b>149.-</b>	(628)	<b>156.-</b>	(831)	<b>N/A</b>	(845)	<b>N/A</b>
1/2	(611)	<b>166.-</b>	(630)	<b>172.-</b>	(833)	<b>181.-</b>	(847)	<b>188.-</b>
3/4	(613)	<b>192.-</b>	(632)	<b>200.-</b>	(835)	<b>211.-</b>	(849)	<b>219.-</b>
1	(615)	<b>244.-</b>	(634)	<b>255.-</b>	(837)	<b>267.-</b>	(851)	<b>279.-</b>
1 1/4	(617)	<b>290.-</b>	(636)	<b>308.-</b>	(839)	<b>325.-</b>	(853)	<b>343.-</b>
1 1/2	(619)	<b>297.-</b>	(638)	<b>315.-</b>	(841)	<b>331.-</b>	(855)	<b>349.-</b>
2	(621)	<b>434.-</b>	(640)	<b>457.-</b>	(843)	<b>529.-</b>	(857)	<b>500.-</b>
2 1/2	(623)	<b>772.-</b>	(642)	<b>813.-</b>	<b>N/A</b>		<b>N/A</b>	
3	(625)	<b>1226.-</b>	(644)	<b>1215.-</b>	<b>N/A</b>		<b>N/A</b>	
4	(627)	<b>1888.-</b>	(646)	<b>1971.-</b>	<b>N/A</b>		<b>N/A</b>	

Type V86

# PVC Pressure Retaining Valve

(C)



## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID Inch	Threaded				Flanged			
	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(116)	<b>166.-</b>	(135)	<b>173.-</b>	(444)	*	(458)	*
1/2	(118)	<b>184.-</b>	(137)	<b>191.-</b>	(446)	<b>187.-</b>	(460)	<b>211.-</b>
3/4	(120)	<b>214.-</b>	(139)	<b>223.-</b>	(448)	<b>208.-</b>	(462)	<b>246.-</b>
1	(122)	<b>255.-</b>	(141)	<b>284.-</b>	(450)	<b>246.-</b>	(464)	<b>316.-</b>
1 1/4	(124)	<b>323.-</b>	(143)	<b>343.-</b>	(452)	<b>320.-</b>	(466)	<b>392.-</b>
1 1/2	(126)	<b>330.-</b>	(145)	<b>350.-</b>	(454)	<b>387.-</b>	(468)	<b>413.-</b>
2	(128)	<b>481.-</b>	(147)	<b>479.-</b>	(456)	<b>399.-</b>	(470)	<b>601.-</b>

\*Inquire

## 90 psi/6 bar

2 1/2	(764)	*	<b>N/A</b>	(130)	<b>553.-</b>	(149)	<b>1008.-</b>
3	(766)	*	<b>N/A</b>	(132)	<b>1001.-</b>	(151)	<b>1573.-</b>

## 150 psi/6 bar

Size	Part Number 708.401 ( )							
ID Inch	Spigot				Socket Union			
	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(610)	<b>166.-</b>	(629)	<b>163.-</b>	(832)	<b>N/A</b>	(846)	<b>N/A</b>
1/2	(612)	<b>184.-</b>	(631)	<b>191.-</b>	(834)	<b>200.-</b>	(848)	<b>207.-</b>
3/4	(614)	<b>214.-</b>	(633)	<b>223.-</b>	(836)	<b>233.-</b>	(850)	<b>242.-</b>
1	(616)	<b>270.-</b>	(635)	<b>284.-</b>	(838)	<b>295.-</b>	(852)	<b>307.-</b>
1 1/4	(618)	<b>323.-</b>	(637)	<b>324.-</b>	(840)	<b>357.-</b>	(854)	<b>377.-</b>
1 1/2	(620)	<b>330.-</b>	(639)	<b>330.-</b>	(842)	<b>365.-</b>	(856)	<b>384.-</b>
2	(622)	<b>481.-</b>	(641)	<b>508.-</b>	(844)	<b>525.-</b>	(858)	<b>550.-</b>

## 90 psi/6 bar

2 1/2	(624)	<b>809.-</b>	(643)	<b>903.-</b>	<b>N/A</b>	<b>N/A</b>
3	(626)	<b>1362.-</b>	(645)	<b>1431.-</b>	<b>N/A</b>	<b>N/A</b>

## Type V86



# Polypropylene Pressure Relief Valve (C)

60 psi/4 bar

Size	Part Number 708.401 ( )							
ID Inch	Threaded				Flanged			
	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(153)	<b>178.-</b>	(172)	<b>184.-</b>	(471)	*	(484)	*
1/2	(155)	<b>192.-</b>	(174)	<b>198.-</b>	(473)	<b>222.-</b>	(486)	<b>198.-</b>
3/4	(157)	<b>228.-</b>	(176)	<b>236.-</b>	(475)	<b>260.-</b>	(488)	<b>236.-</b>
1	(159)	<b>270.-</b>	(178)	<b>283.-</b>	(477)	<b>315.-</b>	(490)	<b>283.-</b>
1 1/4	(161)	<b>350.-</b>	(180)	<b>368.-</b>	(479)	<b>426.-</b>	(492)	<b>368.-</b>
1 1/2	(163)	<b>363.-</b>	(182)	<b>379.-</b>	(481)	<b>515.-</b>	(494)	<b>379.-</b>
2	(165)	<b>582.-</b>	(184)	<b>605.-</b>	(483)	<b>746.-</b>	(496)	<b>605.-</b>
2 1/2	(771)	*	(775)	*	(167)	<b>1127.-</b>	(186)	<b>995.-</b>
3	(773)	*	(777)	*	(169)	<b>1701.-</b>	(188)	<b>1577.-</b>
4	<b>N/A</b>		<b>N/A</b>		(171)	<b>2597.-</b>	(190)	<b>2389.-</b>

\*Inquire



60 psi/4 bar

Size	Part Number 708.400 ( )				Part Number 708.401 ( )				
d mm	ID Inch	Spigot**				Socket Union**			
		EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
16	3/8	(406)	<b>178.-</b>	(425)	<b>174.-</b>	(859)	<b>204.-</b>	(873)	<b>209.-</b>
20	1/2	(408)	<b>192.-</b>	(427)	<b>198.-</b>	(861)	<b>218.-</b>	(875)	<b>225.-</b>
25	3/4	(410)	<b>228.-</b>	(429)	<b>236.-</b>	(863)	<b>255.-</b>	(877)	<b>264.-</b>
32	1	(412)	<b>270.-</b>	(431)	<b>283.-</b>	(865)	<b>308.-</b>	(879)	<b>320.-</b>
40	1 1/4	(414)	<b>350.-</b>	(433)	<b>368.-</b>	(867)	<b>389.-</b>	(881)	<b>407.-</b>
50	1 1/2	(416)	<b>363.-</b>	(435)	<b>379.-</b>	(869)	<b>402.-</b>	(883)	<b>419.-</b>
63	2	(418)	<b>582.-</b>	(437)	<b>605.-</b>	(871)	<b>647.-</b>	(885)	<b>671.-</b>
75	2 1/2	(420)	<b>946.-</b>	(439)	<b>995.-</b>	<b>N/A</b>		<b>N/A</b>	
90	3	(422)	<b>1502.-</b>	(441)	<b>1577.-</b>	<b>N/A</b>		<b>N/A</b>	
110	4	(424)	<b>2291.-</b>	(443)	<b>2389.-</b>	<b>N/A</b>		<b>N/A</b>	

\*\*Requires George Fischer fusion equipment

## Type V86



# Polypropylene Pressure Relief Valve (C)

## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID	Threaded				Flanged			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(154)	<b>198.-</b>	(173)	<b>205.-</b>	(472)	*	(485)	*
1/2	(156)	<b>214.-</b>	(175)	<b>220.-</b>	(474)	<b>243.-</b>	(487)	<b>249.-</b>
3/4	(158)	<b>253.-</b>	(177)	<b>263.-</b>	(476)	<b>285.-</b>	(489)	<b>295.-</b>
1	(160)	<b>284.-</b>	(179)	<b>314.-</b>	(478)	<b>345.-</b>	(491)	<b>358.-</b>
1 1/4	(162)	<b>389.-</b>	(181)	<b>409.-</b>	(480)	<b>490.-</b>	(493)	<b>510.-</b>
1 1/2	(164)	<b>403.-</b>	(183)	<b>422.-</b>	(482)	<b>555.-</b>	(495)	<b>576.-</b>
2	(166)	<b>647.-</b>	(185)	<b>673.-</b>	(907)	<b>811.-</b>	(497)	<b>837.-</b>

## 90 psi/6 bar

2 1/2	(772)	*	(776)	*	(168)	<b>1232.-</b>	(187)	<b>1288.-</b>
3	(774)	*	(778)	*	(170)	<b>1868.-</b>	(189)	<b>1953.-</b>

\*Inquire



## 150 psi/10 bar

Size	Part Number 708.400 ( )				Part Number 708.401 ( )				
d	ID	Spigot**				Socket Union**			
mm	Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
16	3/8	(407)	<b>198.-</b>	(426)	<b>205.-</b>	(860)	<b>237.-</b>	(874)	<b>229.-</b>
20	1/2	(409)	<b>214.-</b>	(428)	<b>220.-</b>	(862)	<b>240.-</b>	(876)	<b>246.-</b>
25	3/4	(411)	<b>253.-</b>	(430)	<b>263.-</b>	(864)	<b>281.-</b>	(878)	<b>289.-</b>
32	1	(413)	<b>301.-</b>	(432)	<b>314.-</b>	(866)	<b>339.-</b>	(880)	<b>352.-</b>
40	1 1/4	(415)	<b>389.-</b>	(434)	<b>409.-</b>	(868)	<b>428.-</b>	(882)	<b>448.-</b>
50	1 1/2	(417)	<b>403.-</b>	(436)	<b>422.-</b>	(870)	<b>442.-</b>	(884)	<b>461.-</b>
63	2	(419)	<b>647.-</b>	(438)	<b>673.-</b>	(872)	<b>711.-</b>	(886)	<b>738.-</b>

## 90 psi/6 bar

75	2 1/2	(421)	<b>1050.-</b>	(440)	<b>1106.-</b>	N/A	N/A
90	3	(423)	<b>1668.-</b>	(442)	<b>1753.-</b>	N/A	N/A

\*\*Requires George Fischer fusion equipment

## Type V86

# PVDF Pressure Retaining Valve

(C)



### 60 psi/4 bar

Size	Part Number 708.401 ( )			
ID Inch	Threaded		Flanged	
	PTFE	\$	PTFE	\$
3/8	(779)	<b>510.-</b>	(498)	*
1/2	(781)	<b>536.-</b>	(500)	<b>622.-</b>
3/4	(783)	<b>744.-</b>	(502)	<b>802.-</b>
1	(785)	<b>831.-</b>	(504)	<b>974.-</b>
1 1/4	(787)	<b>1274.-</b>	(506)	<b>1430.-</b>
1 1/2	(789)	<b>1309.-</b>	(508)	<b>1480.-</b>
2	(791)	<b>3112.-</b>	(510)	<b>3347.-</b>
2 1/2	(793)	*	<b>N/A</b>	

\*Inquire



### 60 psi/4 bar

Size		Part Number 708.400 ( )		Part Number 708.401 ( )	
d mm	ID Inch	Spigot**		Socket Union**	
		PTFE	\$	PTFE	\$
16	3/8	(444)	<b>481.-</b>	(887)	<b>515.-</b>
20	1/2	(446)	<b>506.-</b>	(889)	<b>541.-</b>
25	3/4	(448)	<b>702.-</b>	(891)	<b>740.-</b>
32	1	(450)	<b>784.-</b>	(893)	<b>836.-</b>
40	1 1/4	(452)	<b>1202.-</b>	(895)	<b>1265.-</b>
50	1 1/2	(454)	<b>1235.-</b>	(897)	<b>1298.-</b>
63	2	(456)	<b>2936.-</b>	(899)	<b>3017.-</b>
75	2 1/2	(458)	<b>3550.-</b>	<b>N/A</b>	

\*\*Requires George Fischer fusion equipment

## Type V86

# PVDF Pressure Retaining Valve (C)

## 150 psi/10 bar



Size	Part Number 708.401 ( )			
ID Inch	Threaded		Flanged	
	PTFE	\$	PTFE	\$
3/8	(780)	<b>566.-</b>	(499)	*
1/2	(782)	<b>597.-</b>	(501)	<b>683.-</b>
3/4	(784)	<b>827.-</b>	(503)	<b>933.-</b>
1	(786)	<b>923.-</b>	(505)	<b>1066.-</b>
1 1/4	(788)	<b>1415.-</b>	(507)	<b>1572.-</b>
1 1/2	(790)	<b>1454.-</b>	(509)	<b>1625.-</b>
2	(792)	<b>3458.-</b>	(511)	<b>3694.-</b>

\*Inquire

## 90 psi/6 bar

2 1/2	N/A	(512)	<b>4113.-</b>
-------	-----	-------	---------------



## 150 psi/10 bar

Size		Part Number 708.400 ( )		Part Number 708.401 ( )	
d mm	ID Inch	Spigot**		Socket Union**	
		PTFE	\$	PTFE	\$
16	3/8	(445)	<b>534.-</b>	(888)	<b>569.-</b>
20	1/2	(447)	<b>563.-</b>	(890)	<b>597.-</b>
25	3/4	(449)	<b>780.-</b>	(892)	<b>818.-</b>
32	1	(451)	<b>871.-</b>	(894)	<b>923.-</b>
40	1 1/4	(453)	<b>1335.-</b>	(896)	<b>1398.-</b>
50	1 1/2	(455)	<b>1372.-</b>	(898)	<b>1435.-</b>
63	2	(457)	<b>3262.-</b>	(900)	<b>3343.-</b>

## 90 psi/6 bar

75	2 1/2	(458)	<b>3944.-</b>	N/A
----	-------	-------	---------------	-----

\*\*Requires George Fischer fusion equipment

## Type V86

# PVDF HP Pressure Retaining Valve (C)

## 60 psi/4 bar



Size		Part Number 708.401 ( )	
d	ID	BCF/IR**	
mm	Inch	PTFE	\$
16	3/8	(191)	620.-
20	1/2	(193)	620.-
25	3/4	(195)	830.-
32	1	(197)	920.-
40	1 1/4	(199)	1380.-
50	1 1/2	(201)	1420.-
63	2	(203)	3280.-
75*	2 1/2*	(205)	3910.-

\*IR only

## 150 psi/10 bar

Size		Part Number 708.401 ( )	
d	ID	BCF/IR**	
mm	Inch	PTFE	\$
16	3/8	(192)	600.-
20	1/2	(194)	620.-
25	3/4	(196)	830.-
32	1	(198)	920.-
40	1 1/4	(200)	1380.-
50	1 1/2	(202)	1420.-
63	2	(204)	3280.-
75	2 1/2	NA	

\*\*Requires George Fischer fusion equipment

Type V786

# PVC Pressure Retaining Valve

(C)



## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID	Threaded				Flanged			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(085)	202.-	(091)	210.-	(513)	*	(519)	*
1/2	(086)	225.-	(092)	232.-	(514)	245.-	(520)	252.-
3/4	(087)	260.-	(093)	271.-	(515)	283.-	(521)	294.-
1	(088)	329.-	(094)	345.-	(516)	340.-	(522)	376.-

\*Inquire

## 60 psi/4 bar

1 1/4	(089)	392.-	(095)	417.-	(517)	442.-	(523)	466.-
1 1/2	(090)	401.-	(096)	425.-	(518)	464.-	(524)	488.-

## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID	Spigot				Socket Union			
Inch	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(648)	202.-	(654)	210.-	(694)	217.-	(700)	226.-
1/2	(649)	225.-	(655)	232.-	(695)	240.-	(701)	248.-
3/4	(650)	260.-	(656)	271.-	(696)	279.-	(702)	289.-
1	(651)	329.-	(657)	345.-	(697)	352.-	(703)	368.-

## 60 psi/4 bar

1 1/4	(652)	370.-	(658)	417.-	(698)	427.-	(704)	452.-
1 1/2	(653)	401.-	(659)	425.-	(699)	435.-	(705)	459.-

## Type V786



# Polypropylene Pressure Retaining Valve(C)

## 150 psi/10 bar

Size	Part Number 708.401 ( )							
ID Inch	Threaded				Flanged			
	EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
3/8	(097)	249.-	(103)	258.-	(525)	*	(531)	*
1/2	(098)	269.-	(104)	278.-	(526)	298.-	(532)	289.-
3/4	(099)	319.-	(105)	331.-	(527)	351.-	(533)	363.-
1	(100)	379.-	(106)	395.-	(528)	399.-	(534)	440.-

\*Inquire

## 60 psi/4 bar

1 1/4	(101)	463.-	(107)	515.-	(529)	591.-	(535)	616.-
1 1/2	(102)	507.-	(108)	502.-	(530)	660.-	(536)	686.-



## 150 psi/10 bar

Size		Part Number 708.400 ( )				Part Number 708.401 ( )			
d mm	ID Inch	Spigot**				Socket Union**			
		EPDM	\$	PTFE	\$	EPDM	\$	PTFE	\$
16	3/8	(501)	249.-	(507)	258.-	(706)	275.-	(712)	283.-
20	1/2	(502)	269.-	(508)	278.-	(707)	296.-	(713)	303.-
25	3/4	(503)	379.-	(509)	331.-	(708)	347.-	(714)	3538.-
32	1	(504)	379.-	(510)	395.-	(709)	417.-	(715)	434.-

## 60 psi/4 bar

40	1 1/4	(505)	491.-	(511)	515.-	(710)	530.-	(716)	554.-
50	1 1/2	(506)	507.-	(512)	532.-	(711)	546.-	(717)	571.-

\*\*Requires George Fischer fusion equipment

## Type V786

# PVDF Pressure Retaining Valve (C)



### 150 psi/10 bar

Size	Part Number 708.401 ( )			
ID	Threaded		Flanged	
Inch	PTFE	\$	PTFE	\$
3/8	(901)	688.-	(537)	*
1/2	(902)	684.-	(538)	811.-
3/4	(903)	1004.-	(539)	1110.-
1	(904)	1121.-	(540)	1266.-

\*Inquire

### 60 psi/4 bar

1 1/4	(905)	1720.-	(541)	1876.-
1 1/2	(906)	1767.-	(542)	1938.-



### 150 psi/10 bar

Size	Part Number 708.400 ( )		Part Number 708.401 ( )		
d	ID	Spigot**		Socket Union**	
mm	Inch	PTFE	\$	PTFE	\$
16	3/8	(513)	649.-	(718)	684.-
20	1/2	(514)	684.-	(719)	718.-
25	3/4	(515)	947.-	(720)	985.-
32	1	(516)	1058.-	(721)	1110.-

### 60 psi/4 bar

40	1 1/4	(517)	1623.-	(722)	1685.-
50	1 1/2	(518)	1667.-	(723)	1730.-

\*\*Requires George Fischer fusion equipment

## Type V786



# PVDF HP Pressure Retaining Valve (C) 150 psi/10 bar

Size		Part Number 708.401 ( )	
d	ID	BCF/IR**	
mm	Inch	PTFE	\$
16	3/8	(109)	640.-
20	1/2	(110)	650.-
25	3/4	(111)	990.-
32	1	(112)	990.-

## 60 psi/4 bar

40	1 1/4	(113)	1890.-
50	1 1/2	(114)	1900.-

\*\*Requires George Fischer fusion equipment

## General Terms and Conditions of Sale

These Terms and Conditions (Rev. 6/2003) supercede all previous Terms and Conditions.

**It is the responsibility of the Distributor, Dealer, Agent to provide a current copy of these Terms and Conditions to the Consumers of George Fischer products.**

### • Acceptance of Terms and Conditions

Acceptance by Customer of George Fischer, Inc.'s (hereinafter "Seller" or "GFI") offer of Products for sale is hereby expressly conditioned upon Customer's acceptance of these General Terms and Conditions of Sale and these General Terms and Conditions of Sale will be deemed accepted, as written, despite any language in Customer's purchase order and/or other documentation which is either conflicting or supplemental, unless promptly after receipt of this offer, Customer specifically advises Seller of each term and condition not so accepted and Seller accepts Customer's conflicting and/or supplemental term(s) in writing.

### • Order Acceptance

Seller reserves the right to accept or reject any order. Possession of a price list by Customer does not constitute an offer to sell.

### • Credit Approval/Minimum Order Charge

Customer credit approval is required prior to any shipments. The minimum order charge is \$100.00 net.

### • List Price, Discount or Freight Charges

List prices, discount, and freight terms are subject to change without notice. All prices are F.O.B., Seller's factory or authorized warehouse at Seller's discretion. Products listed hereon will be invoiced at price prevailing at time of shipment.

### • Standard Terms

Net 30, 2% 15 days from date the invoice is issued from GFI. **No unauthorized deductions allowed, such as deductions for pending Returned Materials Transactions that are subject to review.** GFI reserves the right to apply a finance charge to the balance of any past-due invoice (over 30 days from date of invoice) at a rate of 1.5% per month, 18% per annum. Invoices past due forty-five (45) days will be subject to review and account status may be put on hold.

### • Mode of Shipment or Packaging

Seller reserves the right to ship orders in the most economical manner. However, where Customer requests special packaging or handling, any additional cost will be the responsibility of the Customer.

### • Taxes

Any and all sales taxes, Manufacturer's taxes and/or other charges levied or imposed by any governmental authority, foreign or domestic, upon any merchandise sold or contracted to be sold shall be paid by Customer and added to the purchase price unless satisfactory and appropriate tax exemption certificates are supplied to the Seller.

### • Cancellations or Add-ons

Cancellation or modifications of orders must be consented to by Manufacturer in writing. Since all orders are individually entered for processing immediately upon receipt, Seller reserves the right to charge back to the Customer costs incurred from either cancellation of the order, change of the order or of any item on the order. Seller also reserves the right to consider all order add-ons as new orders and subject to all terms and conditions. Products can only be added to orders the same day the order was entered. Distributors may cancel stock items that are **NOT** non-cancelable or non-returnable up to the day it ships.

### • Product Changes

Seller reserves the right to alter, modify or redesign its products without any obligation to replace Products previously shipped.

### • Delivery

Customer is advised that quoted delivery dates or schedules are based on estimates at the time of quotation and that Seller will devote its best efforts to meet such schedules. However, Seller assumes no liability for additional cost or damages resulting from late deliveries.

### • Freight Terms

**In the continental USA and Canada:** Full freight will be paid on pipe, valve, and fitting orders \$1,500 net or more, except PVDF pipe in which full freight will be paid on orders of \$4,000 net or more. Freight allowed orders will be sent by a designated carrier of Seller's choice. Additional charges will be made for special handling and air freight when requested.

All Signet products are shipped F.O.B. factory. Unless otherwise specified, shipments are UPS surface; prepaid and added to the invoice.

### • Transfer of Ownership

Title to merchandise passes at point of shipment. Claims for damaged merchandise should be made to carrier.

### • Damage, Loss or Shortage Claims

Common carrier or motor freight shipment must be inspected for damage, loss or shortage upon receipt by consignee prior to acceptance from carrier.

Any damage or loss claims must be made to the carrier. Seller will not be liable in any manner for damage or loss caused to a shipment by a common carrier.

Shortage of material claims regardless of "mode of shipment" must be submitted in writing to Seller within fifteen (15) days of invoice date. In the event of such claims, Customer shall be required to make timely payment to Seller of any amount which is undisputed or not subject to such claims.

### • Returned Materials – Restock and Evaluations

The standard restocking charge is 25%. Products denoted with a caret ( ^ ) symbol have a 40% restocking charge and products with an asterisk ( \* ) symbol are non-cancelable/non-returnable. Only items identified on the current Master Distributor Price list shall be considered for returns and credits. All products qualifying for return are subject to review for marketability (quantities and stock movement) before issuance of an RMA number.

**All merchandise returned for credit must have been purchased from George Fischer within the past twelve (12) months, and must be in original packaging (full carton quantities), in "like new," re-sellable, condition.**

Credit will be allowed at the lowest price in effect during the previous twelve (12) months, unless a higher price can be substantiated by the distributor. The minimum acceptable return is \$100 net. **No deductions may be taken prior to GFI issuing a credit memo.**

### All material returns must be accompanied by a valid GFI Return

**Material Authorization (RMA) number.** Obtain the RMA number by contacting the GFI Customer Service department. When requesting restock, the original purchase order number or GFI Sales Order number and date of purchase from GFI must be provided. When requesting an RMA for material evaluation, the customer must first complete a Material Safety Disclosure sheet and Request For Evaluation form; both are obtained from GFI Customer Service.

**Material arriving at George Fischer without a valid RMA number will be returned to the customer/distributor, freight collect.** RMA numbers must be clearly referenced on all shipping documents and shipping container.

All material returns must be received within thirty (30) days of the RMA issuance from GFI. **RMA numbers are void after 30 days.**

All material returns must be shipped freight prepaid. **No collect shipments will be accepted by George Fischer.** Restocking charges and prepaid freight do not apply to warranty defective merchandise or returns due to GFI order entry or shipping errors. **Seller must be advised of shipment errors within 15 days of shipping from GFI.**

### • Force Majeure

Seller shall not be liable for any delays in making delivery where occasioned by strikes or difference with workmen or by any causes beyond the control of Seller, such as but not limited to fires, floods, accidents, action of any governmental authority, or shortages of labor, energy, raw materials, production facilities or transportation. Where delays or failures of delivery are caused by labor difficulties, Seller shall not be obligated to seek or obtain any settlement which, in Seller's sole judgment is not in Seller's best interest.

### • WARRANTY

Seller's Products are carefully inspected for manufacturing defects; however, it is not always possible to detect hidden defects.

Said Products are warranted only to the extent that Seller will repair or replace without charge. (No credits will be issued.) Products proved to have manufacturing defects within six (6) months, Signet products twenty-four (24) months, of the date of tender of delivery thereof and provided Seller has been given an opportunity to inspect the Product alleged to be defective and the installation and/or use thereof. Seller does not warrant any Products obtained through an unauthorized Distributor, Dealer or Agent; therefore any and all warranties are void in the event that Seller's Products are obtained through an unauthorized Distributor, Dealer or Agent.

### • LIMITATIONS OF REMEDY

**Damages, warranties and liability in the event of any breach of warranty by seller, the exclusive remedy of the customer shall be the repair or replacement of the non-conforming goods in the manner and for the period of time as provided in the "warranty" section above. No warranty is included against any expense for removal, reinstallation or consequential damages of any nature arising from any defect. Seller shall not be liable for special, incidental or consequential damages, such as (but not limited to) damage or loss of other property or equipment, business interruption, or loss of profits or revenue. The warranties set out above are the only warranties made by seller and are expressly in lieu of all other warranties, expressed or implied, including the warranties of merchantability and fitness for a particular purpose. Any and all warranties implied by any course of dealing or usage of trade between the parties are expressly excluded. Any action for breach of any contract made by seller for the sale of goods must be commenced within twelve (12) months (Signet Products twenty-four (24) months) of seller's tender of delivery of the subject goods.**